

5090
Ser 1142A/Hunters Pt/4SY

14 JUL 1987

Mr. R. Notini
State of California
Department of Health Services
Toxic Substances Control Division
2151 Berkeley Way, Annex 7
Berkeley, CA 94704

Dear Mr. Notini:

Enclosure (1) is the proposed sample plan for Area 2 of the Polychlorinated Biphenyl (PCB) contaminated soil site located near old Building 503 at Ex-Hunters Point Naval Shipyard. This sample plan describes the site-specific approach to verify cleanup levels in Area 2 of the site.

Verification sampling for Area 1 was completed in May 1987. Excavation was then focused on Areas 2 and 3. Upon verification of adequate removal of PCB contaminated soils from Area 2, resources will be focused on Area 3 to remove the residual contamination remaining in this final area and to verify cleanup levels.

We expect to accomplish verification sampling in Area 2 the week beginning July 20, 1987 and request your review and comments on our sampling approach as soon as possible. Thank you for the assistance provided by you and your staff. We look forward to our future collaboration as we press onward to the successful completion of this important project. Should you have any questions regarding the sample plan, the point of contact is Commander, Western Division, Naval Facilities Engineering Command (Attn: Mr. Gregory Brown, Code 1142A, (415) 877-7496).

Sincerely,

Original signed by:

Encl:

- (1) Sample Plan for Area 2, PCB Contaminated Soil Removal Hunters Point Naval Shipyard, San Francisco, California

Copy to: (w/encl)
COMNAVBASE San Francisco
NAVSHIPYD Mare Island
NAVSTA Treasure Island
California Regional Water Quality Board
U.S. Environmental Protection Agency

Blind copy to: (w/o encl)
09B, 114,
1142, 1142A

WRITER: G. Brown/1142A/7496
FILED: Hunters Pt/NSF 877/Ser 2263S

ENCLOSURE (1)

**SAMPLE PLAN FOR AREA 2, PCB CONTAMINATED
SOIL REMOVAL**

**SUBMISSION OF SAMPLE PLAN FOR
POLYCHLORINATED BIPHENYL (PCB)
CONTAMINATED SITE**

**THE ABOVE IDENTIFIED ENCLOSURE IS NOT
AVAILABLE.**

**EXTENSIVE RESEARCH WAS PERFORMED BY
SOUTHWEST DIVISION TO LOCATE THIS
ENCLOSURE. THIS PAGE HAS BEEN INSERTED AS
A PLACEHOLDER AND WILL BE REPLACED
SHOULD THE MISSING ITEM BE LOCATED.**

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA
RECORDS MANAGEMENT SPECIALIST
SOUTHWEST DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

TELEPHONE: (619) 532-3676